

**ELSEVIER**Available online at www.sciencedirect.com **ScienceDirect****JOURNAL OF
COMPUTATIONAL AND
APPLIED MATHEMATICS**

Journal of Computational and Applied Mathematics 201–210 (2007) 255–272

www.elsevier.com/locate/cam

Author Index for Volumes 201–210 (2007)

- Abassy, T.A., M.A. El-Tawil and H. El Zoheiry**, Solving nonlinear partial differential equations using the modified variational iteration Padé technique **207** (2007) 73–91
- Abassy, T.A., M.A. El-Tawil and H. El Zoheiry**, Toward a modified variational iteration method **207** (2007) 137–147
- Abbasbandy, S.**, An approximation solution of a nonlinear equation with Riemann–Liouville’s fractional derivatives by He’s variational iteration method **207** (2007) 53–58
- Abbasbandy, S.**, A new application of He’s variational iteration method for quadratic Riccati differential equation by using Adomian’s polynomials **207** (2007) 59–63
- Abdel-Rehim, E.A.**, see **Gorenflo, R.** **205** (2007) 871–881
- Abdou, M.A.**, see **Soliman, A.A.** **207** (2007) 111–120
- Aceto, L. and D. Trigiante**, The stability problem for linear multistep methods: Old and new results **210** (2007) 2–12
- Ackrén, C.**, see **Sandström, S.-E.** **201** (2007) 3–7
- Adimurthi, A., S. Mishra and G.D. Veerappa Gowda**, Conservation law with the flux function discontinuous in the space variable—II Convex-concave type fluxes and generalized entropy solutions **203** (2007) 310–344
- Adimurthi, A., S.B. Hazra and V. Schulz** **203** (2007) 309–309
- Agar, D.W.**, see **Kashid, M.N.** **203** (2007) 487–497
- Agarwal, R.P., S. Djebali, T. Moussaoui and O.G. Mustafa**, On the asymptotic integration of nonlinear differential equations **202** (2007) 352–376
- Agarwal, R.P.**, see **O’Regan, D.** **205** (2007) 751–763
- Agreste, S., G. Andaloro, D. Prestipino and L. Puccio**, An image adaptive, wavelet-based watermarking of digital images **210** (2007) 13–21
- Ahmed, S.G.**, A new semi-analytical method for phase transformations in binary alloys **206** (2007) 409–419
- Aimi, A., M. Diligenti and F. Freddi**, Numerical aspects in the SGBEM solution of softening cohesive interface problems **210** (2007) 22–33
- Akmaz, H.K.**, see **Yakhno, V.G.** **204** (2007) 268–281
- Ala, G., E. Francomano, A. Tortorici, E. Toscano and F. Viola**, Corrective meshless particle formulations for time domain Maxwell’s equations **210** (2007) 34–46
- Alfaro, M. and R. Álvarez-Nodarse**, A characterization of the classical orthogonal discrete and q -polynomials **201** (2007) 48–54
- Al-Homidan, S.**, Solving Hankel matrix approximation problem using semidefinite programming **202** (2007) 304–314
- Alouges, F., S. Borel and D.P. Levadoux**, A stable well-conditioned integral equation for electromagnetism scattering **204** (2007) 440–451
- Álvarez de Morales, M., L. Fernández, T.E. Pérez and M.A. Piñar**, Semiclassical orthogonal polynomials in two variables **207** (2007) 323–330
- Álvarez-Nodarse, R.**, see **Alfaro, M.** **201** (2007) 48–54
- Amara, M.**, see **Gillman, A.** **204** (2007) 515–525
- Amat, S., C. Bermúdez, S. Busquier, J. Carrasco and S. Plaza**, Super-attracting periodic orbits for a classical third order method **206** (2007) 599–602
- Ambati, V.R. and O. Bokhove**, Space-time discontinuous Galerkin finite element method for shallow water flows **204** (2007) 452–462
- Andaloro, G.**, see **Agreste, S.** **210** (2007) 13–21
- Andrew, S.M., C.T.H. Baker and G.A. Bocharov**, Rival approaches to mathematical modelling in immunology **205** (2007) 669–686
- Andrie, M. and L. Rebollo-Neira**, Experiments on orthogonalization by biorthogonal representations of orthogonal projectors **205** (2007) 545–551
- Anh, V.**, see **Zhang, H.** **206** (2007) 1098–1115
- Annaby, M.H., J. Bustoz and M.E.H. Ismail**, On sampling theory and basic Sturm–Liouville systems **206** (2007) 73–85
- Ansari, A.R., S.A. Bakr and G.I. Shishkin**, A parameter-robust finite difference method for singularly perturbed delay parabolic partial differential equations **205** (2007) 552–566
- Ansari, Q.H.**, see **Lin, L.-J.** **208** (2007) 341–353
- Ansari-Piri, E.**, see **Ketabchi, S.** **206** (2007) 288–292
- Appleby, J.A.D. and C. Kelly**, Spurious oscillation in a uniform Euler discretization of linear stochastic differential equations with vanishing delay **205** (2007) 923–935
- Araya, R., E. Behrens and R. Rodríguez**, Error estimators for advection–reaction–diffusion equations based on the solution of local problems **206** (2007) 440–453
- Arden, S., S.N. Chandler-Wilde and S. Langdon**, A collocation method for

- high-frequency scattering by convex polygons
Arévalo, C., G. Söderlind and J.D. López, Constant coefficient linear multistep methods with step density control
Argyros, I.K., On the convergence of Newton's method for a class of non-smooth operators
Arima, T., Y. Matsuura and S. Oharu, Computation of air flows and motion of environmental pollutants over complex geographical topographies
Arponen, T., Tensor invariants in numerical geometric integration of ODEs
Atanackovic, T.M., Optimal shape of a strongest inverted column
Atle, A. and B. Engquist, On surface radiation conditions for high-frequency wave scattering
Ayub, M., see **Hayat, T.**
- Bacchelli, S. and S. Papi,** Statistically based multiwavelet denoising
Backofen, R., A. Ribalta, A. Voigt and D. Wulff-Molder, BaF₂ for microlithography applications: Modeling, simulation and optimization of the crystal growth process
Baguelin, M., J. LeFèvre and J.-P. Richard, How to deal with potentially huge dimensional state space: The meta-dynamics approach—application to a model of the co-evolution of bacterio-phage populations
Bailey, D.H., J.M. Borwein and R.E. Crandall, Box integrals
Baker, C.T.H., K. Burrage and N.J. Ford, Preface: Special issue on evolutionary problems
Baker, C.T.H., see **Andrew, S.M.**
Bakr, S.A., see **Ansari, A.R.**
Barnewitz, H., see **Kroll, N.**
Barreda, M., see **López, J.A.**
Bartoszewski, Z. and Z. Jackiewicz, Derivation of continuous explicit two-step Runge–Kutta methods of order three
Baruch, G., G. Fibich and S. Tsynkov, High-order numerical solution of the nonlinear Helmholtz equation with axial symmetry
Bastani, A.F. and S.M. Hosseini, A new adaptive Runge–Kutta method for stochastic differential equations
Basto, M., V. Semiao and F. Calheiros, Dynamics in spectral solutions of Burgers equation
Basto, M., V. Semiao and F.L. Calheiros, Numerical study of modified Adomian's method applied to Burgers equation
- Batzorig, B.,** see **Siklosi, M.**
Becker, K., see **Kroll, N.**
Behrens, E., see **Araya, R.**
Beltran, J.V. and J. Monterde, A characterization of quintic helices
Benchama, N., T.K. DeLillo, T. Hrycak and L. Wang, A simplified Fornberg-like method for the conformal mapping of multiply connected regions—Comparisons and crowding
Benito, J.J., F. Ureña and L. Gavete, Solving parabolic and hyperbolic equations by the generalized finite difference method
Bennewitz, C., Approximation numbers = singular values
Bera, G.H., see **Mandal, B.N.**
Beretta, E., see **Carletti, M.**
Bergamaschi, L., G. Gambolati and G. Pini, A numerical experimental study of inverse preconditioning for the parallel iterative solution to 3D finite element flow equations
Bergamaschi, L., see **Caliari, M.**
Bermúdez, C., see **Amat, S.**
Berselli, L.C., C.R. Grisanti and V. John, Analysis of commutation errors for functions with low regularity
Bessaih, H. and H. Schurz, Upper bounds on the rate of convergence of truncated stochastic infinite-dimensional differential systems with *H*-regular noise
Binding, P., L. Boulton and P.J. Browne, A Prüfer angle approach to singular Sturm–Liouville problems with Molčanov potentials
Biswas, P., see **Dutt, P.**
Bloch, A.M. and M.I. Gekhtman, Lie algebraic aspects of the finite nonperiodic Toda flows
Bnouhachem, A., An additional projection step to He and Liao's method for solving variational inequalities
Bocharov, G.A., see **Andrew, S.M.**
Bokhove, O., see **Ambati, V.R.**
Bonilla, L.L., see **Dell'Acqua, G.**
Bonnet-Ben Dhia, A.-S., È.-M. Duclairoir, G. Legendre and J.-F. Mercier, Time-harmonic acoustic propagation in the presence of a shear flow
Bonnet-Ben Dhia, A.S., P. Ciarlet Jr. and C.M. Zwölf, Two- and three-field formulations for wave transmission between media with opposite sign dielectric constants
Booth, H., see **Hegland, M.**
Borel, S., see **Alouges, F.**
Borwein, J.M., see **Bailey, D.H.**
Böttcher, A., J. Gutiérrez-Gutiérrez and P.M. Crespo, Mass concentration in
- 204 (2007) 334–343
205 (2007) 891–900
205 (2007) 584–593
204 (2007) 187–196
205 (2007) 791–801
203 (2007) 209–218
204 (2007) 306–316
202 (2007) 402–413
210 (2007) 47–55
203 (2007) 362–375
205 (2007) 687–695
206 (2007) 196–208
205 (2007) 667–668
205 (2007) 669–686
205 (2007) 552–566
203 (2007) 397–411
204 (2007) 77–83
205 (2007) 764–776
204 (2007) 477–492
206 (2007) 631–644
205 (2007) 296–304
206 (2007) 927–949
201 (2007) 8–29
203 (2007) 397–411
206 (2007) 440–453
206 (2007) 116–121
209 (2007) 1–21
209 (2007) 208–233
208 (2007) 102–110
206 (2007) 189–195
205 (2007) 835–848
210 (2007) 64–70
210 (2007) 56–63
206 (2007) 599–602
206 (2007) 1027–1045
208 (2007) 354–361
208 (2007) 226–234
203 (2007) 461–486
202 (2007) 3–25
206 (2007) 238–250
205 (2007) 669–686
204 (2007) 452–462
204 (2007) 18–24
204 (2007) 428–439
204 (2007) 408–417
205 (2007) 708–724
204 (2007) 440–451
206 (2007) 196–208

- quasicommutators of Toeplitz matrices 205 (2007) 129–148
- Boubendir, Y.**, An analysis of the BEM-FEM non-overlapping domain decomposition method for a scattering problem 204 (2007) 282–291
- Bouhamidi, A.** and **K. Jbilou**, Sylvester Tikhonov-regularization methods in image restoration 206 (2007) 86–98
- Boulton, L.**, see **Binding, P.**
- Bourdarias, C.** and **S. Gerbi**, A finite volume scheme for a model coupling free surface and pressurised flows in pipes 209 (2007) 109–131
- Bourgeois, L.**, **C. Chambeyron** and **S. Kusiak**, Locating an obstacle in a 3D finite depth ocean using the convex scattering support 204 (2007) 387–399
- Boyd, J.P.** and **D.H. Gally**, Numerical experiments on the accuracy of the Chebyshev–Frobenius companion matrix method for finding the zeros of a truncated series of Chebyshev polynomials 205 (2007) 281–295
- Bozkaya, C.** and **M. Tezer-Sezgin**, Fundamental solution for coupled magnetohydrodynamic flow equations 203 (2007) 125–144
- Bracken, P.**, The generalized Weierstrass system inducing surfaces of constant and nonconstant mean curvature in Euclidean three space 202 (2007) 122–132
- Bracken, P.**, see **Idrees Bhatti, M.**
- Braconnier, T.**, see **Valdettaro, L.**
- Brandes, K.** and **R. Griesse**, Quantitative stability analysis of optimal solutions in PDE-constrained optimization 206 (2007) 908–926
- Bratsos, A.G.**, The solution of the two-dimensional sine-Gordon equation using the method of lines 206 (2007) 251–277
- Bretti, G.**, **R. Natalini** and **B. Piccoli**, Numerical algorithms for simulations of a traffic model on road networks 210 (2007) 71–77
- Breuß, M.** and **M. Welk**, Staircasing in semidiscrete stabilised inverse linear diffusion algorithms 206 (2007) 520–533
- Brezillon, J.**, see **Fazzolari, A.**
- Brezillon, J.**, see **Kroll, N.**
- Brignone, M.**, **J. Coyle** and **M. Piana**, The use of the linear sampling method for obtaining super-resolution effects in Born approximation 203 (2007) 145–158
- Brown, B.M.** and **M.S.P. Eastham**, Eigenvalues of the radial p -Laplacian with a potential on $(0, \infty)$ 208 (2007) 111–119
- Brown, B.M.**, **J. Lang** and **R.T. Lewis**, Preface 208 (2007) 1–2
- Browne, P.J.**, see **Binding, P.**
- Brugnano, L.** and **C. Magherini**, Blended implicit methods for solving ODE and DAE problems, and their extension for second-order problems 205 (2007) 777–790
- Bruno, O.P.** and **C.A. Geuzaine**, An $\mathcal{O}(1)$ integration scheme for three-dimensional surface scattering problems 204 (2007) 463–476
- Bruti-Liberati, N.** and **E. Platen**, Strong approximations of stochastic differential equations with jumps 205 (2007) 982–1001
- Buckwar, E.** and **R. Winkler**, Improved linear multi-step methods for stochastic ordinary differential equations 205 (2007) 912–922
- Bueno, M.I.** and **F.M. Dopico**, A more accurate algorithm for computing the Christoffel transformation 205 (2007) 567–582
- Buffa, A.**, **P. Houston** and **I. Perugia**, Discontinuous Galerkin computation of the Maxwell eigenvalues on simplicial meshes 204 (2007) 317–333
- Bujurke, N.M.**, **C.S. Salimath**, **R.B. Kudenatti** and **S.C. Shiralashetti**, Wavelet-multigrid analysis of squeeze film characteristics of poroelastic bearings 203 (2007) 237–248
- Burden, C.**, see **Hegland, M.**
- Burenkov, V.I.**, **H.V. Guliyev** and **V.S. Guliyev**, Necessary and sufficient conditions for the boundedness of fractional maximal operators in local Morrey-type spaces 208 (2007) 280–301
- Burrage, K.**, see **Baker, C.T.H.**
- Burrage, K.**, see **Tian, T.**
- Burrage, P.M.**, see **Tian, T.**
- Busquier, S.**, see **Amat, S.**
- Bustoz, J.**, see **Annaby, M.H.**
- Caccetta, L.**, see **Wang, P.**
- Cai, L.** and **X. Song**, Permanence and stability of a predator–prey system with stage structure for predator 201 (2007) 356–366
- Cakoni, F.**, Recent developments in the qualitative approach to inverse electromagnetic scattering theory 204 (2007) 242–255
- Cakoni, F.**, **D. Colton** and **P. Monk**, The inverse electromagnetic scattering problem for a partially coated dielectric 204 (2007) 256–267
- Calheiros, F.**, see **Basto, M.**
- Calheiros, F.L.**, see **Basto, M.**
- Caliari, M.**, **M. Vianello** and **L. Bergamaschi**, The LEM exponential integrator for advection–diffusion–reaction equations 210 (2007) 56–63
- Caliari, M.**, **S. De Marchi** and **M. Vianello**, Hyperinterpolation on the square 210 (2007) 78–83
- Calvo-Jurado, C.** and **J. Casado-Díaz**, Nonlocal limits in the study of linear elliptic systems arising in periodic homogenization 204 (2007) 3–9
- Campagna, R.**, **L. D’Amore** and **A. Murli**, An efficient algorithm for regularization of Laplace transform inversion in real case 210 (2007) 84–98
- Campbell, S.L.** and **R. März**, Direct transcription solution of high index

- optimal control problems and regular Euler–Lagrange equations 202 (2007) 186–202
- Cao, J., see Song, Q. 202 (2007) 266–279
- Cao, X., Q. Kong, H. Wu and A. Zettl, Geometric aspects of Sturm–Liouville problems III. Level surfaces of the n th eigenvalue 208 (2007) 176–193
- Carfora, M.F., Interpolation on spherical geodesic grids: A comparative study 210 (2007) 99–105
- Carletti, M. and E. Beretta, Numerical detection of instability regions for delay models with delay-dependent parameters 205 (2007) 835–848
- Carletti, M., see Tian, T. 205 (2007) 696–707
- Carrasco, J., see Amat, S. 206 (2007) 599–602
- Carvalho, J.C., M.T.M.B. de Vilhena and M. Thompson, An iterative langevin solution for turbulent dispersion in the atmosphere 206 (2007) 534–548
- Casado-Díaz, J., see Calvo-Jurado, C. 204 (2007) 3–9
- Casas, F., New numerical integrators based on solvability and splitting 205 (2007) 802–813
- Casian, L. and Y. Kodama, Singular structure of Toda lattices and cohomology of certain compact Lie groups 202 (2007) 56–79
- Chaillou, A. and M. Suri, A posteriori estimation of the linearization error for strongly monotone nonlinear operators 205 (2007) 72–87
- Chambeyron, C., see Bourgeois, L. 204 (2007) 387–399
- Chanane, B., Computing the spectrum of non-self-adjoint Sturm–Liouville problems with parameter-dependent boundary conditions 206 (2007) 229–237
- Chandler-Wilde, S.N., P. Monk and M. Thomas, The mathematics of scattering by unbounded, rough, inhomogeneous layers 204 (2007) 549–559
- Chandler-Wilde, S.N., see Arden, S. 204 (2007) 334–343
- Chang, S.-L., C.-S. Chien and B.-W. Jeng, An efficient algorithm for the Schrödinger–Poisson eigenvalue problem 205 (2007) 509–532
- Chen, B. and Y. Xie, Periodic-like solutions of variable coefficient and Wick-type stochastic NLS equations 203 (2007) 249–263
- Chen, F., Z. Li, X. Chen and J. Laitochová, Dynamic behaviors of a delay differential equation model of plankton allelopathy 206 (2007) 733–754
- Chen, F., see Wu, C. 206 (2007) 146–157
- Chen, J., see Wang, T. 205 (2007) 430–452
- Chen, L. and J. Sun, Nonlinear boundary problem of first order impulsive integro-differential equations 202 (2007) 392–401
- Chen, L.-F., see Lin, L.-J. 208 (2007) 341–353
- Chen, L.-Q., see Zhang, L. 205 (2007) 174–185
- Chen, X., see Chen, F. 206 (2007) 733–754
- Chen, Y., W. Härdle and V. Spokoiny, Portfolio value at risk based on independent component analysis 205 (2007) 594–607
- Cheung, W.-S., see Ma, Q.-H. 202 (2007) 339–351
- Chien, C.-S., see Chang, S.-L. 205 (2007) 509–532
- Chin, K.-S., see Wang, Y.-M. 206 (2007) 209–215
- Chindelevitch, L., D.P. Nicholls and N. Nigam, Error analysis and preconditioning for an enhanced DtN-FE algorithm for exterior scattering problems 204 (2007) 493–504
- Chinosi, C. and L. Della Croce, Approximation of functionally graded plates with non-conforming finite elements 210 (2007) 106–115
- Chu, W. and C. Jia, Abel’s method on summation by parts and terminating well-poised q -series identities 207 (2007) 360–370
- Ciarlet Jr., P., see Bonnet-Ben Dhia, A.S. 204 (2007) 408–417
- Civalek, Ö., Numerical analysis of free vibrations of laminated composite conical and cylindrical shells: Discrete singular convolution (DSC) approach 205 (2007) 251–271
- Colton, D., see Cakoni, F. 204 (2007) 256–267
- Connor, J.N.L., see Hobbs, C.A. 207 (2007) 192–213
- Corless, R.M., see Zhao, J. 206 (2007) 306–321
- Cortés, V. and J.M. Peña, Growth factor and expected growth factor of some pivoting strategies 202 (2007) 292–303
- Costa, B. and W.S. Don, High order Hybrid central–WENO finite difference scheme for conservation laws 204 (2007) 209–218
- Costabile, F. and A. Napoli, Solving BVPs using two-point Taylor formula by a symbolic software 210 (2007) 136–148
- Costabile, F.A. and F. Dell’Accio, Polynomial approximation of C^M functions by means of boundary values and applications: A survey 210 (2007) 116–135
- Costabile, F.A., F. Dell’Accio and M.I. Gualtieri, Preface 210 (2007) 1
- Coyle, J., see Brignone, M. 203 (2007) 145–158
- Crandall, R.E., see Bailey, D.H. 206 (2007) 196–205
- Crespo, P.M., see Böttcher, A. 205 (2007) 129–148
- Criado, R., B. Hernández-Bermejo, J. Marco-Blanco and M. Romance, Asymptotic estimates for efficiency, vulnerability and cost for random networks 204 (2007) 166–171
- Criado, R., J. Flores, M.I. González-Vasco and J. Pello, Choosing a leader on a complex network 204 (2007) 10–17
- Cruz-Barroso, R., L. Daruis, P. González-Vera and O. Njåstad, Sequences of orthogonal Laurent polynomials, bi-orthogonality and quadrature formulas on the unit circle 206 (2007) 950–966
- Cui, M. and F. Geng, Solving singular two-point boundary value problem in reproducing kernel space 205 (2007) 6–15
- Cuomo, S., L. D’Amore and A. Murli, Error analysis of a Collocation method for numerically inverting a Laplace transform in case of real samples 210 (2007) 149–158

- Damelin, S.B. and W.-X. Ma**, Preface 202 (2007) 1–2
D’Amore, L., see **Campagna, R.** 210 (2007) 84–98
D’Amore, L., see **Cuomo, S.** 210 (2007) 149–158
Daoud, D.S., Overlapping Schwarz wave-form relaxation method for the solution of the forward–backward heat equation 208 (2007) 380–390
Darrigrand, E. and P. Monk, Coupling of the ultra-weak variational formulation and an integral representation using a fast multipole method in electromagnetism 204 (2007) 400–407
Daruis, L., J. Hernández and F. Marcellán, Spectral transformations for Hermitian Toeplitz matrices 202 (2007) 155–176
Daruis, L., see **Cruz-Barroso, R.** 206 (2007) 950–966
Davison, M., see **Zhao, J.** 206 (2007) 306–321
De Marchi, S., see **Caliari, M.** 210 (2007) 78–83
de Vilhena, M.T.M.B., see **Carvalho, J.C.** 206 (2007) 534–548
Dehesa, J.S., see **Zarzo, A.** 207 (2007) 166–179
Dehghan, M., see **Tatari, M.** 207 (2007) 121–128
Deift, P., A. Its, I. Krasovsky and X. Zhou, The Widom–Dyson constant for the gap probability in random matrix theory 202 (2007) 26–47
Deininger, R., see **Wade, B.A.** 204 (2007) 144–158
Del Corso, G.M., A. Gulli and F. Romani, Comparison of Krylov subspace methods on the PageRank problem 210 (2007) 159–166
DeLillo, T.K., see **Benchama, N.** 209 (2007) 1–21
Della Croce, L., see **Chinosi, C.** 210 (2007) 106–115
Dell’Accio, F., see **Costabile, F.A.** 210 (2007) 1
Dell’Accio, F., see **Costabile, F.A.** 210 (2007) 116–135
Dell’Acqua, G., L.L. Bonilla and R. Escobedo, Relocation dynamics and multistable switching in semiconductor superlattices 204 (2007) 18–24
Demiray, H., Interactions of nonlinear ion-acoustic waves in a collisionless plasma 206 (2007) 826–831
Demiray, H., Waves in fluid-filled elastic tubes with a stenosis: Variable coefficients KdV equations 202 (2007) 328–338
Deng, C.-Y., On the minimum gap and the angle between two subspaces 206 (2007) 625–630
Deng, J., see **Wu, C.** 206 (2007) 146–157
Deng, W., Short memory principle and a predictor–corrector approach for fractional differential equations 206 (2007) 174–188
Denuit, M. and J. Dhaene, Comonotonic bounds on the survival probabilities in the Lee–Carter model for mortality projection 203 (2007) 169–176
Deuring, P., Eigenvalue estimates for a preconditioned Galerkin matrix arising from mixed finite element discretizations of viscous incompressible flows 205 (2007) 453–457
Dhaene, J., see **Denuit, M.** 203 (2007) 169–176
Di Fiore, C., S. Fanelli and P. Zellini, Low complexity secant quasi-Newton minimization algorithms for nonconvex functions 210 (2007) 167–174
Dierckx, P., see **Speleers, H.** 206 (2007) 55–72
Diligenti, M., see **Aimi, A.** 210 (2007) 22–33
Diogo, T., see **Ford, N.J.** 205 (2007) 849–858
Djebali, S., see **Agarwal, R.P.** 202 (2007) 352–376
Djellouli, R., see **Gillman, A.** 204 (2007) 515–525
Djellouli, R., see **Reiner Jr., R.C.** 204 (2007) 526–536
Don, W.S., see **Costa, B.** 204 (2007) 209–218
Dopico, F.M., see **Bueno, M.I.** 205 (2007) 567–582
Dorao, C.A. and H.A. Jakobsen, Least-squares spectral method for solving advective population balance problems 201 (2007) 247–257
Driver, K. and H. Stahl, The uniqueness of an orthogonality measure 207 (2007) 180–185
Du, K., Note on structured indefinite perturbations to Hermitian matrices 202 (2007) 258–265
Du, L., Blow-up for a degenerate reaction–diffusion system with nonlinear nonlocal sources 202 (2007) 237–247
Duan, Y. and R. Liu, Lattice Boltzmann model for two-dimensional unsteady Burgers’ equation 206 (2007) 432–439
Duclairoir, È.-M., see **Bonnet-Ben Dhia, A.-S.** 204 (2007) 428–439
Dutt, P., P. Biswas and S. Ghorai, Spectral element methods for parabolic problems 203 (2007) 461–486
Dwight, R., see **Kroll, N.** 203 (2007) 397–411
Eastham, M.S.P., see **Brown, B.M.** 208 (2007) 111–119
Edmunds, D.E. and J. Lang, Operators of Hardy type 208 (2007) 20–28
Egidi, N. and P. Maponi, The heat equation to generate planar grids 210 (2007) 183–190
Egidi, N., R. Gobbi and P. Maponi, The efficient solution of electromagnetic scattering for inhomogeneous media 210 (2007) 175–182
El Zoheiry, H., see **Abassy, T.A.** 207 (2007) 73–91
El Zoheiry, H., see **Abassy, T.A.** 207 (2007) 137–147
Elliott, D. and P.R. Johnston, Error analysis for a sinh transformation used in evaluating nearly singular boundary element integrals 203 (2007) 103–124
El-Tawil, M.A., see **Abassy, T.A.** 207 (2007) 73–91
El-Tawil, M.A., see **Abassy, T.A.** 207 (2007) 137–147
Engquist, B., see **Atle, A.** 204 (2007) 306–316
Epshteyn, Y. and B. Rivière, Estimation of penalty parameters for symmetric interior penalty Galerkin methods 206 (2007) 843–872
Escobedo, R., see **Dell’Acqua, G.** 204 (2007) 18–24
Escribano, C., M.A. Sastre and E. Torrano, A fixed point theorem for moment matrices of self-similar measures 207 (2007) 352–359
Everitt, W.N. and H. Kalf, The Bessel differential equation and the Hankel transform 208 (2007) 3–19
Everitt, W.N., K.H. Kwon, L.L. Littlejohn, R. Wellman and G.J. Yoon, Jacobi–Stirling numbers, Jacobi polynomials, and the left-definite analysis

- of the classical Jacobi differential expression
Everitt, W.N., L. Markus, M. Muzzolini and M. Plum, A continuum of unusual self-adjoint linear partial differential operators
 208 (2007) 29–56
- Faßbender, H.**, see **Liu, Z.**
Fairag, F.A., Analysis and finite element approximation of a Ladyzhenskaya model for viscous flow in streamfunction form
 206 (2007) 374–391
- Fan, Y.-H.**, see **Li, W.-T.**
Fanelli, S., see **Di Fiore, C.**
Fang, S.-C., see **Wang, Y.**
Farouki, R.T. and J. Hass, Evaluating the boundary and covering degree of planar Minkowski sums and other geometrical convolutions
 209 (2007) 246–266
- Favati, P., G. Lotti, O. Menchi and F. Romani**, Adaptive solution of infinite linear systems by Krylov subspace methods
 210 (2007) 191–199
- Fazzolari, A., N.R. Gauger and J. Brezillon**, Efficient aerodynamic shape optimization in MDO context
 203 (2007) 548–560
- Fazzolari, A.**, see **Kroll, N.**
Feng, Q.-D., Y.-D. Jiao and Y.-F. Tang, Conjugate symplecticity of second-order linear multi-step methods
 203 (2007) 6–14
- Fernández, L.**, see **Álvarez de Morales, M.**
Fibich, G., see **Baruch, G.**
Figotin, A. and J. Schenker, Hamiltonian treatment of time dispersive and dissipative media within the linear response theory
 204 (2007) 199–208
- Finden, W.F.**, Higher order approximations using interpolation applied to collocation solutions of two-point boundary value problems
 206 (2007) 99–115
- Fischer, M. and M. Reiß**, Discretisation of stochastic control problems for continuous time dynamics with delay
 205 (2007) 969–981
- Flores, J.**, see **Criado, R.**
Flores-Sintas, A., see **Soto, J.**
Ford, J.M., see **Ford, N.J.**
Ford, N.J., T. Diogo, J.M. Ford and P. Lima, Numerical modelling of qualitative behaviour of solutions to convolution integral equations
 205 (2007) 849–858
- Ford, N.J.**, see **Baker, C.T.H.**
Francomano, E., see **Ala, G.**
Frayssé, V., see **Valdettaro, L.**
Freddi, F., see **Aimi, A.**
Fu, C.-L., see **Xiong, X.-T.**
Fu, Y.-D., see **Wang, X.-Z.**
Fujimori, H., see **Shinohara, Y.**
- Gally, D.H.**, see **Boyd, J.P.**
Gambolati, G., see **Bergamaschi, L.**
 205 (2007) 281–295
 210 (2007) 64–70
- Gan, S.**, Dissipativity of θ -methods for nonlinear Volterra delay-integro-differential equations
 206 (2007) 898–907
- Ganesh, M., S. Langdon and I.H. Sloan**, Efficient evaluation of highly oscillatory acoustic scattering surface integrals
 204 (2007) 363–374
- Ganji, D.D. and A. Sadighi**, Application of homotopy-perturbation and variational iteration methods to nonlinear heat transfer and porous media equations
 207 (2007) 24–34
- Ganji, D.D., M. Jannatabadi and E. Mohseni**, Application of He's variational iteration method to nonlinear Jaulent–Miodek equations and comparing it with ADM
 207 (2007) 35–45
- Gao, H., P. Shi and J. Wang**, Parameter-dependent robust stability of uncertain time-delay systems
 206 (2007) 366–373
- Gao, L., B. Zhang and D. Liang**, The splitting finite-difference time-domain methods for Maxwell's equations in two dimensions
 205 (2007) 207–230
- Gao, Z.**, see **Yang, L.**
García, P.J., see **Taboada, J.**
Garrappa, R., The use of geometric meshes in product integration Simpson's rules
 210 (2007) 200–209
- Gatteschi, L. and C. Giordano**, On a method for generating inequalities for the zeros of certain functions
 207 (2007) 186–191
- Gauger, N.R.**, see **Fazzolari, A.**
Gauger, N.R., see **Kroll, N.**
Gauthier, A., P.A. Knight and S. McKee, The Hertz contact problem, coupled Volterra integral equations and a linear complementarity problem
 206 (2007) 322–340
- Gavete, L.**, see **Benito, J.J.**
Gear, C.W., see **Lee, S.L.**
Gegenhasi see **Wang, H.-Y.**
Gekhtman, M. and A. Kasman, Tau-functions, Grassmannians and rank one conditions
 202 (2007) 80–87
- Gekhtman, M.I.**, see **Bloch, A.M.**
Geng, F., see **Cui, M.**
Gerbi, S., see **Bourdarias, C.**
Geuzaine, C.A., see **Bruno, O.P.**
Ghorai, S., see **Dutt, P.**
Gil, A., J. Segura and J.L. López, Preface
 207 (2007) 165
- Gillman, A., R. Djellouli and M. Amara**, A mixed hybrid formulation based on oscillated finite element polynomials for solving Helmholtz problems
 204 (2007) 515–525
- Gilsing, H. and T. Shardlow**, SDELab: A package for solving stochastic differential equations in MATLAB
 205 (2007) 1002–1018
- Giordano, C.**, see **Gatteschi, L.**
Gobbi, R., see **Egidi, N.**
Gogatishvili, A. and L. Pick, A reduction theorem for supremum operators
 208 (2007) 270–279

- Gómez, F.J.** and **J. Sesma**, Connection factors in the Schrödinger equation with a polynomial potential 207 (2007) 291–300
- Gong, Y.**, New error estimates for Galerkin method to an airfoil equation 206 (2007) 278–287
- González-Pinto, S.**, **S. Pérez-Rodríguez** and **R. Rojas Bello**, Corrigendum to “Efficient iterations for Gauss methods on second-order problems” [J. Comput. Appl. Math. 189 (2006) 80–97] 205 (2007) 583–583
- González-Vasco, M.I.**, see **Criado, R.**
- González-Vera, P.**, see **Cruz-Barroso, R.**
- Goodman, T.N.T.** and **D.S. Meek**, Planar interpolation with a pair of rational spirals 201 (2007) 112–127
- Gorenflo, R.** and **E.A. Abdel-Rehim**, Convergence of the Grünwald–Letnikov scheme for time-fractional diffusion 205 (2007) 871–881
- Gorenflo, R.**, see **Mainardi, F.**
- Gracia, J.L.** and **F.J. Lisbona**, A uniformly convergent scheme for a system of reaction–diffusion equations 206 (2007) 1–16
- Graves-Morris, P.R.**, BiCGStab, VPAS-tab and an adaptation to mildly nonlinear systems 201 (2007) 284–299
- Griesse, R.**, see **Brandes, K.**
- Grisanti, C.R.**, see **Berselli, L.C.**
- Grote, M.J.**, **A. Schneebeli** and **D. Schötzau**, Interior penalty discontinuous Galerkin method for Maxwell’s equations: Energy norm error estimates 204 (2007) 375–386
- Gu, R.**, The average-shadowing property and topological ergodicity 206 (2007) 796–800
- Gualtieri, M.I.**, see **Costabile, F.A.**
- Guirao, J.L.G.**, see **Pelayo, F.L.**
- Guliyev, H.V.**, see **Burenkov, V.I.**
- Guliyev, V.S.**, see **Burenkov, V.I.**
- Gulli, A.**, see **Del Corso, G.M.**
- Gupta, D.K.**, see **Parida, P.K.**
- Gurka, P.** and **B. Opic**, Sharp embeddings of Besov-type spaces 208 (2007) 235–269
- Guseinov, I.I.** and **B.A. Mamedov**, Unified treatment for the evaluation of generalized complete and incomplete gamma functions 202 (2007) 435–439
- Gutiérrez-Gutiérrez, J.**, see **Böttcher, A.**
- Ha, T.** and **I. Kim**, Analysis of one-dimensional Helmholtz equation with PML boundary 206 (2007) 586–598
- Haddar, H.**, see **Hesthaven, J.S.**
- Hadjidimos, A.** and **M. Lapidakis**, Stationary biparametric ADI preconditioners for conjugate gradient methods 205 (2007) 364–381
- Haeri, M.**, see **Tavazoei, M.S.**
- Halpern, L.** and **O. Lafitte**, Dirichlet to Neumann map for domains with corners and approximate boundary conditions 204 (2007) 505–514
- Han, B.**, see **Li, L.**
- Han, B.S.**, see **Liang, Y.M.**
- Han, X.**, see **Ning, D.**
- Hansen, E.**, Galerkin/Runge–Kutta discretizations of nonlinear parabolic equations 205 (2007) 882–890
- Hara, T.**, see **Yoshida, N.**
- Harari, I.**, see **Reiner Jr., R.C.**
- Härdle, W.**, see **Chen, Y.**
- Hasegawa, T.** and **H. Sugiura**, Quadrature rule for indefinite integral of algebraic–logarithmic singular integrands 205 (2007) 487–496
- Hass, J.**, see **Farouki, R.T.**
- Hayat, T.**, **M. Khan** and **M. Ayub**, The effect of the slip condition on flows of an Oldroyd 6-constant fluid 202 (2007) 402–413
- Hazra, S.**, see **Kroll, N.**
- Hazra, S.B.** and **K. Steiner**, Computation of dilute two-phase flow in a pump 203 (2007) 444–460
- Hazra, S.B.**, see **Adimurthi, A.**
- He, G.** and **Y. He**, The finite volume method based on stabilized finite element for the stationary Navier–Stokes problem 205 (2007) 651–665
- He, J.-H.**, Variational iteration method—Some recent results and new interpretations 207 (2007) 3–17
- He, J.-H.**, see **Xu, L.**
- He, X.-F.**, **J. Lou** and **Z. He**, Iterative methods for solving variational inclusions in Banach spaces 203 (2007) 80–86
- He, Y.**, see **He, G.**
- He, Z.**, see **He, X.-F.**
- Hegland, M.**, **C. Burden**, **L. Santoso**, **S. MacNamara** and **H. Booth**, A solver for the stochastic master equation applied to gene regulatory networks 205 (2007) 708–724
- Heikkola, E.**, **S. Mönkölä**, **A. Pennanen** and **T. Rossi**, Controllability method for acoustic scattering with spectral elements 204 (2007) 344–355
- Heinkenschloss, M.** and **M. Herty**, A spatial domain decomposition method for parabolic optimal control problems 201 (2007) 88–111
- Hernández, J.**, see **Daruís, L.**
- Hernández-Bermejo, B.**, see **Criado, R.**
- Herty, M.**, **A. Klar** and **A.K. Singh**, An ODE traffic network model 203 (2007) 419–436
- Herty, M.**, see **Heinkenschloss, M.**
- Hesthaven, J.S.** and **H. Haddar**, Editorial: Waves 2005 Conference 204 (2007) 197–198
- Higham, D.J.** and **P.E. Kloeden**, Strong convergence rates for backward Euler on a class of nonlinear jump-diffusion problems 205 (2007) 949–956
- Higham, D.J.**, **G. Kalna** and **M. Kibble**, Spectral clustering and its use in bioinformatics 204 (2007) 25–37
- Hill, M.**, see **Li, T.**

- Hobbs, C.A., J.N.L. Connor and N.P. Kirk**, Theory and numerical evaluation of oddoids and evenoids: Oscillatory cuspid integrals with odd and even polynomial phase functions 207 (2007) 192–213
- Hoe Choi, S.**, see **Joong Kim, K.** 205 (2007) 149–160
- Hong, S.**, Triple positive solutions of three-point boundary value problems for p -Laplacian dynamic equations on time scales 206 (2007) 967–976
- Hosseini, S.M.**, see **Bastani, A.F.** 206 (2007) 631–644
- Houston, P.**, see **Buffa, A.** 204 (2007) 317–333
- Hrycak, T.**, see **Benchama, N.** 209 (2007) 1–21
- Hu, G.-D. and M. Liu**, Input-to-state stability of Runge–Kutta methods for nonlinear control systems 205 (2007) 633–639
- Hu, Q.-Q. and G.-J. Wang**, Necessary and sufficient conditions for rational quartic representation of conic sections 203 (2007) 190–208
- Hu, X.**, see **Huang, X.** 206 (2007) 645–655
- Hu, X.-B.**, see **Wang, H.-Y.** 202 (2007) 133–143
- Huang, L.**, see **Liu, B.** 206 (2007) 293–305
- Huang, T.-Z.**, see **Liu, F.-T.** 205 (2007) 608–616
- Huang, T.-Z.**, see **Wang, X.-Z.** 206 (2007) 726–732
- Huang, X., X. Hu and L. Zhang**, Physical parameters reconstruction of a fixed–fixed mass-spring system from its characteristic data 206 (2007) 645–655
- Huillet, T.**, Ewens sampling formulae with and without selection 206 (2007) 755–773
- Hundsdoerfer, W. and L. Portero**, A note on iterated splitting schemes 201 (2007) 146–152
- Huo, X.**, see **Zhang, L.** 205 (2007) 174–185
- Iavernaro, F. and D. Trigiante**, State-dependent symplecticity and area preserving numerical methods 205 (2007) 814–825
- Ida, A., S. Oharu and Y. Oharu**, A mathematical approach to HIV infection dynamics 204 (2007) 172–186
- Ida, A., Y. Oharu and O. Sankey**, An attempt at the computer-aided management of HIV infection 204 (2007) 159–165
- Idrees Bhatti, M. and P. Bracken**, Solutions of differential equations in a Bernstein polynomial basis 205 (2007) 272–280
- Ilić, S.**, see **Petković, M.S.** 208 (2007) 316–330
- Ishikawa, H.**, Numerical methods for the eigenvalue determination of second-order ordinary differential equations 208 (2007) 404–424
- Ismail, M.E.H.**, see **Annaby, M.H.** 206 (2007) 73–85
- Ismailov, V.E.**, Characterization of an extremal sum of ridge functions 205 (2007) 105–115
- Its, A.**, see **Deift, P.** 202 (2007) 26–47
- Izzo, G. and A. Vecchio**, A discrete time version for models of population dynamics in the presence of an infection 210 (2007) 210–221
- Jackiewicz, Z.**, see **Bartoszewski, Z.** 205 (2007) 764–776
- Jacobs, G.B., D.A. Kopriva and F. Mashayek**, Towards efficient tracking of inertial particles with high-order multidomain methods 206 (2007) 392–408
- Jakobsen, H.A.**, see **Dorao, C.A.** 201 (2007) 247–257
- Jannatabadi, M.**, see **Ganji, D.D.** 207 (2007) 35–45
- Jay, L.O.**, Beyond conventional Runge–Kutta methods in numerical integration of ODEs and DAEs by use of structures and local models 204 (2007) 56–76
- Jbilou, K.**, see **Bouhamidi, A.** 206 (2007) 86–98
- Jeng, B.-W.**, see **Chang, S.-L.** 205 (2007) 509–532
- Jenkins, E.W.**, Numerical solution of the acoustic wave equation using Raviart–Thomas elements 206 (2007) 420–431
- Ji, D.**, see **Meng, F.W.** 208 (2007) 425–433
- Ji, X.**, see **Yang, L.** 208 (2007) 303–315
- Jia, C.**, see **Chu, W.** 207 (2007) 360–370
- Jian, J.-b., R. Quan and X.-l. Zhang**, Feasible generalized monotone line search SQP algorithm for nonlinear minimax problems with inequality constraints 205 (2007) 406–429
- Jiang, F. and F. Meng**, Explicit bounds on some new nonlinear integral inequalities with delay 205 (2007) 479–486
- Jiao, Y.-D.**, see **Feng, Q.-D.** 203 (2007) 6–14
- Jin, Y. and B. Kalantari**, On general convergence in extracting radicals via a fundamental family of iteration functions 206 (2007) 832–842
- Jisheng, K., L. Yitian and W. Xiuhua**, Third-order modification of Newton’s method 205 (2007) 1–5
- Johansson, T. and D. Lesnic**, Determination of a spacewise dependent heat source 209 (2007) 66–80
- John, V.**, see **Berselli, L.C.** 206 (2007) 1027–1045
- Johnston, P.R.**, see **Elliott, D.** 203 (2007) 103–124
- Joong Kim, K. and S. Hoe Choi**, Frequency-dependent interpolation rules using first derivatives for oscillatory functions 205 (2007) 149–160
- Jukić, D., K. Sabo and R. Scitovski**, Total least squares fitting Michaelis–Menten enzyme kinetic model function 201 (2007) 230–246
- Kalantari, B.**, see **Jin, Y.** 206 (2007) 832–842
- Kalf, H.**, see **Everitt, W.N.** 208 (2007) 3–19
- Kalna, G.**, see **Higham, D.J.** 204 (2007) 25–37
- Kan-on, Y.**, Bifurcation structure of positive stationary solutions for a Lotka–Volterra competition model with diffusion I: Numerical verification of local structure 201 (2007) 317–326
- Karageorghis, A. and Y.-S. Smyrlis**, Matrix decomposition MFS algorithms for elasticity and thermo-elasticity problems in axisymmetric domains 206 (2007) 774–795
- Karp, D. and S.M. Sitnik**, Asymptotic approximations for the first incomplete elliptic integral near logarithmic singularity 205 (2007) 186–206

- Karp, D., A. Savenkova and S.M. Sitnik**, Series expansions for the third incomplete elliptic integral via partial fraction decompositions 207 (2007) 331–337
- Kashid, M.N., F. Platte, D.W. Agar and S. Turek**, Computational modelling of slug flow in a capillary microreactor 203 (2007) 487–497
- Kasman, A.**, see **Gekhtman, M.** 202 (2007) 80–87
- Kato, N., S. Oharu and K. Shitaoka**, Size-structured plant population models and harvesting problems 204 (2007) 114–123
- Kelly, C.**, see **Appleby, J.A.D.** 205 (2007) 923–935
- Ketabchi, S. and E. Ansari-Piri**, On the solution set of convex problems and its numerical application 206 (2007) 288–292
- Khaliq, A.Q.M.**, see **Wade, B.A.** 204 (2007) 144–158
- Khan, M.**, see **Hayat, T.** 202 (2007) 402–413
- Kibble, M.**, see **Higham, D.J.** 204 (2007) 25–37
- Kilic, E.**, The generalized order- k Fibonacci–Pell sequence by matrix methods 209 (2007) 133–145
- Kilic, E. and D. Tasci**, Factorizations and representations of the backward second-order linear recurrences 201 (2007) 182–197
- Kılıçman, A. and Z.A.A.A. Zhou**, Vector least-squares solutions for coupled singular matrix equations 206 (2007) 1051–1069
- Kim, I.**, see **Ha, T.** 206 (2007) 586–598
- Kim, S.**, see **Rui, H.** 202 (2007) 230–236
- Kim, S.D.**, see **Rui, H.** 202 (2007) 230–236
- Kimura, M.**, see **Nishida, T.** 202 (2007) 377–391
- Kirk, N.P.**, see **Hobbs, C.A.** 207 (2007) 192–213
- Klar, A.**, see **Herty, M.** 203 (2007) 419–436
- Kloeden, P.E. and A. Rößler**, Runge–Kutta methods for affinely controlled nonlinear systems 205 (2007) 957–968
- Kloeden, P.E.**, see **Higham, D.J.** 205 (2007) 949–956
- Knight, P.A.**, see **Gauthier, A.** 206 (2007) 322–340
- Knowles, I. and A. Yan**, The reconstruction of groundwater parameters from head data in an unconfined aquifer 208 (2007) 72–81
- Kodama, Y.**, see **Casian, L.** 202 (2007) 56–79
- Kohr, M.**, Boundary value problems for a compressible Stokes system in bounded domains in R^n 201 (2007) 128–145
- Koleva, M. and L. Vulkov**, Blow-up of continuous and semidiscrete solutions to elliptic equations with semilinear dynamical boundary conditions of parabolic type 202 (2007) 414–434
- Komorí, Y.**, Weak order stochastic Runge–Kutta methods for commutative stochastic differential equations 203 (2007) 57–79
- Komorí, Y.**, Weak second-order stochastic Runge–Kutta methods for non-commutative stochastic differential equations 206 (2007) 158–173
- Kong, Q.**, see **Cao, X.** 208 (2007) 176–193
- Konnov, I.V.**, Iterative algorithms for multi-valued inclusions with Z mappings 206 (2007) 358–365
- Koornwinder, T.H.**, The structure relation for Askey–Wilson polynomials 207 (2007) 214–226
- Kopriva, D.A.**, see **Jacobs, G.B.** 206 (2007) 392–408
- Korostyshevskiy, V.R. and T. Wanner**, A Hermite spectral method for the computation of homoclinic orbits and associated functionals 206 (2007) 986–1006
- Kou, J., Y. Li and X. Wang**, Some modifications of Newton’s method with fifth-order convergence 209 (2007) 146–152
- Kou, J., Y. Li and X. Wang**, Some variants of Ostrowski’s method with seventh-order convergence 209 (2007) 153–159
- Kouibia, A. and M. Pasadas**, A note on the discrete approximation of discontinuous curves and surfaces 208 (2007) 373–379
- Koulaei, M.H. and F. Toutounian**, On computing of block ILU preconditioner for block tridiagonal systems 202 (2007) 248–257
- Krasovsky, I.**, see **Deift, P.** 202 (2007) 26–47
- Kreiss, G.**, see **Siklosi, M.** 201 (2007) 8–29
- Kress, R. and P. Serranho**, A hybrid method for sound-hard obstacle reconstruction 204 (2007) 418–427
- Kroll, N., N.R. Gauger, J. Brezillon, R. Dwight, A. Fazzolari, D. Vollmer, K. Becker, H. Barnewitz, V. Schulz and S. Hazra**, Flow simulation and shape optimization for aircraft design 203 (2007) 397–411
- Kubo, A. and T. Suzuki**, Mathematical models of tumour angiogenesis 204 (2007) 48–55
- Kudenatti, R.B.**, see **Bujurke, N.M.** 203 (2007) 237–248
- Kuhnert, J.**, see **Tiwari, S.** 203 (2007) 376–386
- Kuijlaars, A.B.J., H. Stahl, W. Van Assche and F. Wielonsky**, Type II Hermite–Padé approximation to the exponential function 207 (2007) 227–244
- Kurihara, M.**, see **Shinohara, Y.** 201 (2007) 348–355
- Kusiak, S.**, see **Bourgeois, L.** 204 (2007) 387–399
- Kwon, K.H.**, see **Everitt, W.N.** 208 (2007) 29–56
- Lacarbonara, W. and A. Paolone**, On solution strategies to Saint-Venant problem 206 (2007) 473–497
- Lafitte, O. and Y. Noumir**, High frequency and numerical Eulerian methods for aeroacoustic problems 204 (2007) 537–548
- Lafitte, O.**, see **Halpern, L.** 204 (2007) 505–514
- Lai, M.-C. and J.-M. Tseng**, A formally fourth-order accurate compact scheme for 3D Poisson equation in cylindrical coordinates 201 (2007) 175–181
- Laitochová, J.**, see **Chen, F.** 206 (2007) 733–754
- Lam, J.**, see **Wang, Z.** 201 (2007) 153–163
- Lang, J.**, see **Brown, B.M.** 208 (2007) 1–2
- Lang, J.**, see **Edmunds, D.E.** 208 (2007) 20–28
- Langdon, S.**, see **Arden, S.** 204 (2007) 334–343
- Langdon, S.**, see **Ganesh, M.** 204 (2007) 363–374
- Lapidakis, M.**, see **Hadjidimos, A.** 205 (2007) 364–381
- Larcher, G. and F. Pillichshammer**, A note on optimal point distributions in $[0, 1]^s$ 206 (2007) 977–985

- Lavery, J.E., see Wang, Y. 201 (2007) 69–87
- Lazzaro, D. and L.B. Montefusco, Edge-preserving wavelet thresholding for image denoising 210 (2007) 222–231
- Lee, S.L. and C.W. Gear, Second-order accurate projective integrators for multiscale problems 201 (2007) 258–274
- LeFèvre, J., see Baguelin, M. 205 (2007) 687–695
- Legendre, G., see Bonnet-Ben Dhia, A.-S. 204 (2007) 428–439
- Lesnic, D., see Johansson, T. 209 (2007) 66–80
- Levadoux, D.P., see Alouges, F. 204 (2007) 440–451
- Lewis, R.T., see Brown, B.M. 208 (2007) 1–2
- Li, C., see Ye, X. 203 (2007) 279–288
- Li, C.-x., see Li, Y.-t. 206 (2007) 656–665
- Li, G., C. Tang and Z. Wei, New conjugacy condition and related new conjugate gradient methods for unconstrained optimization 202 (2007) 523–539
- Li, J., Error analysis of mixed finite element methods for wave propagation in double negative metamaterials 209 (2007) 81–96
- Li, J. and J. Shen, Existence of positive solution to a singular second-order initial value problem with impulses 206 (2007) 699–712
- Li, K., see Yang, L. 208 (2007) 303–315
- Li, L., B. Han and W. Wang, R-K type Landweber method for nonlinear ill-posed problems 206 (2007) 341–357
- Li, M.M., see Liang, Y.M. 205 (2007) 16–31
- Li, T., I. Robinson and M. Hill, The index of merit of k th-copy integration lattices 205 (2007) 394–405
- Li, W.-T. and Y.-H. Fan, Existence and global attractivity of positive periodic solutions for the impulsive delay Nicholson's blowflies model 201 (2007) 55–68
- Li, Y., see Kou, J. 209 (2007) 146–152
- Li, Y., see Kou, J. 209 (2007) 153–159
- Li, Y.-t., C.-x. Li and S.-I. Wu, Improvements of preconditioned AOR iterative method for L-matrices 206 (2007) 656–665
- Li, Z., see Chen, F. 206 (2007) 733–754
- Liang, D., see Gao, L. 205 (2007) 207–230
- Liang, R. and J. Shen, Periodic boundary value problem for the first order impulsive functional differential equations 202 (2007) 498–510
- Liang, Y.M., L.S. Zhang, M.M. Li and B.S. Han, A filled function method for global optimization 205 (2007) 16–31
- Lievens, S. and J. Van der Jeugt, Symmetry groups of Bailey's transformations for $_{10}\phi_9$ -series 206 (2007) 498–519
- Lima, P., see Ford, N.J. 205 (2007) 849–858
- Lin, L.-J., L.-F. Chen and Q.H. Ansari, Generalized abstract economy and systems of generalized vector quasi-equilibrium problems 208 (2007) 341–353
- Linden, H., Scaled generalized Bernstein polynomials and containment regions for the zeros of polynomials 206 (2007) 216–228
- Lisbona, F.J., see Gracia, J.L. 206 (2007) 1–16
- Littlejohn, L.L., see Everitt, W.N. 208 (2007) 29–56
- Liu, B., Almost periodic solutions for shunting inhibitory cellular neural networks without global Lipschitz activation functions 203 (2007) 159–168
- Liu, B. and L. Huang, New results of almost periodic solutions for recurrent neural networks 206 (2007) 293–305
- Liu, C., see Mo, J. 209 (2007) 97–108
- Liu, F., see Zhang, H. 206 (2007) 1098–1115
- Liu, F.-T. and T.-Z. Huang, An error bound for the USAOR method 205 (2007) 608–616
- Liu, H. and N. Yan, Recovery type superconvergence and a posteriori error estimates for control problems governed by Stokes equations 209 (2007) 187–207
- Liu, M., see Hu, G.-D. 205 (2007) 633–639
- Liu, R., see Duan, Y. 206 (2007) 432–439
- Liu, S. and Z. Liu, Permanence of general stage-structured consumer-resource models 201 (2007) 381–388
- Liu, X., see Wang, Z. 201 (2007) 153–163
- Liu, X., see Xu, Z. 206 (2007) 1116–1126
- Liu, X.-G., M. Wu, R. Martin and M.-L. Tang, Stability analysis for neutral systems with mixed delays 202 (2007) 478–497
- Liu, Y., see Wu, J. 206 (2007) 713–725
- Liu, Y.-p. and L. Tao, Mechanical quadrature methods and their extrapolation for solving first kind Abel integral equations 201 (2007) 300–313
- Liu, Z. and H. Faßbender, An inverse eigenvalue problem and an associated approximation problem for generalized K -centrohermitian matrices 206 (2007) 578–585
- Liu, Z., see Liu, S. 201 (2007) 381–388
- Liu, Z., see Tian, J.P. 202 (2007) 144–154
- Lo, D.C., D.L. Young and C.C. Tsai, High resolution of 2D natural convection in a cavity by the DQ method 203 (2007) 219–236
- Lohrengel, S. and S. Nicaise, A discontinuous Galerkin method on refined meshes for the two-dimensional time-harmonic Maxwell equations in composite materials 206 (2007) 27–54
- Lombard, B. and J. Piriaux, Modeling 1-D elastic P-waves in a fractured rock with hyperbolic jump conditions 204 (2007) 292–305
- Long, F., see Zhou, Q. 206 (2007) 1127–1136
- López, J.A. and M. Barreda, A formulation to obtain semi-analytical planetary theories using true anomalies as temporal variables 204 (2007) 77–83
- López, J.D., see Arévalo, C. 205 (2007) 891–900
- López, J.L., see Gil, A. 207 (2007) 165
- Lopez, L., Numerical methods for ordinary differential equations on matrix manifolds 210 (2007) 232–243
- Lotti, G., see Favati, P. 210 (2007) 191–199
- Lou, J., see He, X.-F. 203 (2007) 80–86

- Lu, J.**, Variational iteration method for solving two-point boundary value problems 207 (2007) 92–95
- Lu, J.-a.**, see **Ning, D.** 206 (2007) 1046–1050
- Lu, Z.**, see **Luo, Y.** 201 (2007) 367–373
- Luo, Y.** and **Z. Lu**, Stability analysis for Lotka–Volterra systems based on an algorithm of real root isolation 201 (2007) 367–373
- Luo, Z.** and **Z. Meng**, Cubature formulas over the n -sphere 202 (2007) 511–522
- Ma, Q.-H.** and **W.-S. Cheung**, Some new nonlinear difference inequalities and their applications 202 (2007) 339–351
- Ma, W.**, see **Song, M.** 201 (2007) 389–394
- Ma, W.**, see **Yamaguchi, M.** 201 (2007) 327–338
- Ma, W.-X.**, see **Damelin, S.B.** 202 (2007) 1–2
- Ma, Z.** and **G. Wen**, Iterative approximation of solutions for semilinear parabolic equations system 209 (2007) 167–175
- MacNamara, S.**, see **Hegland, M.** 205 (2007) 708–724
- Magherini, C.**, see **Brugnano, L.** 205 (2007) 777–790
- Mai-Duy, N.** and **R.I. Tanner**, A spectral collocation method based on integrated Chebyshev polynomials for two-dimensional biharmonic boundary-value problems 201 (2007) 30–47
- Mainardi, F.** and **G. Pagnini**, The role of the Fox–Wright functions in fractional sub-diffusion of distributed order 207 (2007) 245–257
- Mainardi, F.**, **R. Gorenflo** and **A. Vivoli**, Beyond the Poisson renewal process: A tutorial survey 205 (2007) 725–735
- Maji, P.K.**, see **Roy, A.R.** 203 (2007) 412–418
- Małolepszy, T.** and **W. Okrański**, Conditions for blow-up of solutions of some nonlinear Volterra integral equations 205 (2007) 744–750
- Mamedov, B.A.**, see **Guseinov, I.I.** 202 (2007) 435–439
- Mandal, B.N.** and **G.H. Bera**, Approximate solution of a class of singular integral equations of second kind 206 (2007) 189–195
- Manouzi, H.**, **M. Seaïd** and **M. Zahri**, Wick-stochastic finite element solution of reaction–diffusion problems 203 (2007) 516–532
- Mao, X.**, **C. Yuan** and **G. Yin**, Approximations of Euler–Maruyama type for stochastic differential equations with Markovian switching, under non-Lipschitz conditions 205 (2007) 936–948
- Maponi, P.**, see **Egidi, N.** 210 (2007) 175–182
- Maponi, P.**, see **Egidi, N.** 210 (2007) 183–190
- Marcellán, F.**, **A. Martínez-Finkelshtein** and **P. Martínez-González**, Electrostatic models for zeros of polynomials: Old, new, and some open problems 207 (2007) 258–272
- Marcellán, F.**, see **Daruís, L.** 202 (2007) 155–176
- Marco-Blanco, J.**, see **Criado, R.** 204 (2007) 166–171
- Marín, A.M.**, **R.D. Ortiz** and **P. Zhevan-drov**, High-frequency asymptotics of waves trapped by underwater ridges and submerged cylinders 204 (2007) 356–362
- Markus, L.**, see **Everitt, W.N.** 208 (2007) 164–175
- Martin, P.A.**, On the T -matrix for scattering by small obstacles 204 (2007) 219–230
- Martin, R.**, see **Liu, X.-G.** 202 (2007) 478–497
- Martínez-Finkelshtein, A.**, see **Marcellán, F.** 207 (2007) 258–272
- Martínez-González, P.**, see **Marcellán, F.** 207 (2007) 258–272
- März, R.**, see **Campbell, S.L.** 202 (2007) 186–202
- Mashayek, F.**, see **Jacobs, G.B.** 206 (2007) 392–408
- Matías, J.M.**, see **Taboada, J.** 204 (2007) 84–94
- Matos, A.C.**, Multivariate Frobenius–Padé approximants: Properties and algorithms 202 (2007) 548–572
- Matsuo, T.**, New conservative schemes with discrete variational derivatives for nonlinear wave equations 203 (2007) 32–56
- Matsuura, Y.**, see **Arima, T.** 204 (2007) 187–196
- Maz’ya, V.** and **A. Movchan**, Uniform asymptotic formulae for Green’s functions in singularly perturbed domains 208 (2007) 194–206
- McKee, S.**, see **Gauthier, A.** 206 (2007) 322–340
- Meek, D.S.**, see **Goodman, T.N.T.** 201 (2007) 112–127
- Menchi, O.**, see **Favati, P.** 210 (2007) 191–199
- Menéndez, M.L.**, **J.A. Pardo** and **L. Pardo**, The moment-corrected phi-divergence test statistics for symmetry 202 (2007) 315–327
- Meng, F.**, see **Jiang, F.** 205 (2007) 479–486
- Meng, F.**, see **Yao, J.** 205 (2007) 640–650
- Meng, F.W.** and **D. Ji**, On some new nonlinear discrete inequalities and their applications 208 (2007) 425–433
- Meng, G.-Y.**, see **Wen, R.-P.** 202 (2007) 540–547
- Meng, Z.**, see **Luo, Z.** 202 (2007) 511–522
- Mercier, J.-F.**, see **Bonnet-Ben Dhia, A.-S.** 204 (2007) 428–439
- Milgram, M.**, Comment on a paper of Rao et al., an entry of Ramanujan and a new $3F_2(1)$ 201 (2007) 1–2
- Minamoto, T.** and **M.T. Nakao**, Numerical method for verifying the existence and local uniqueness of a double turning point for a radially symmetric solution of the perturbed Gelfand equation 202 (2007) 177–185
- Mirin, A.A.**, see **Sawyer, W.B.** 203 (2007) 387–396
- Mishra, S.**, see **Adimurthi, A.** 203 (2007) 310–344
- Mishra, S.K.**, **R.P. Pant** and **J.S. Raute-la**, Generalized α -invexity and nondifferentiable minimax fractional programming 206 (2007) 122–135
- Miyazaki, R.**, see **Takeuchi, Y.** 201 (2007) 315–316
- Mo, J.**, **C. Liu** and **S. Yan**, A nonmonotone trust region method based on nonincreasing technique of weighted average of the successive function values 209 (2007) 97–108
- Mohamad, S.**, Global exponential stability in DCNNs with distributed delays and unbounded activations 205 (2007) 161–173
- Mohanty, R.K.** and **S. Singh**, A new two-level implicit discretization of

- $O(k^2 + kh^2 + h^4)$ for the solution of singularly perturbed two-space dimensional non-linear parabolic equations
Mohseni, E., see **Ganji, D.D.**
Momani, S. and **Z. Odibat**, Numerical approach to differential equations of fractional order
Monaquel, S.J. and **K.M. Schmidt**, On M -functions and operator theory for non-self-adjoint discrete Hamiltonian systems
Monegato, G., Some new problems in numerical integration
Monk, P., see **Cakoni, F.**
Monk, P., see **Chandler-Wilde, S.N.**
Monk, P., see **Darrigrand, E.**
Mönkölä, S., see **Heikkola, E.**
Montufusco, L.B., see **Lazzaro, D.**
Monterde, J., see **Beltran, J.V.**
Morača, N., Upper bounds for the infinity norm of the inverse of SDD and \mathcal{S} -SDD matrices
Moreno-Balcázar, J.J., A note on the zeros of Freud–Sobolev orthogonal polynomials
Mori, M., see **Nurmuhammad, A.**
Morita, S., see **Takeuchi, Y.**
Moussaoui, T., see **Agarwal, R.P.**
Movchan, A., see **Maz'ya, V.**
Muhammad, M., see **Nurmuhammad, A.**
Murli, A., see **Campagna, R.**
Murli, A., see **Cuomo, S.**
Murthy, A.S.V., An alternate relaxation approximation to conservation laws
Mustafa, O.G., see **Agarwal, R.P.**
Muzzulini, M., see **Everitt, W.N.**

Nakao, M.T., see **Minamoto, T.**
Napoli, A., see **Costabile, F.**
Natalini, R., see **Bretti, G.**
Nicaise, S., see **Lohrengel, S.**
Nicholls, D.P., see **Chindelevitch, L.**
Nigam, N., see **Chindelevitch, L.**
Nigsch, M., Numerical studies of time-independent and time-dependent scattering by several elliptical cylinders
Ning, D., J.-a. Lu and **X. Han**, Dual synchronization based on two different chaotic systems: Lorenz systems and Rössler systems
Nishida, T., K. Sugihara and **M. Kimura**, Stable marker-particle method for the Voronoi diagram in a flow field
Njåstad, O. and **J.C. Santos-León**, Domain of validity of Szegő quadrature formulas
Njåstad, O., see **Cruz-Barroso, R.**
Noschese, S. and **L. Pasquini**, Eigenvalue patterned condition numbers: Toeplitz and Hankel cases

Noumi, M., Special functions arising from discrete Painlevé equations: A survey
Noumir, Y., see **Lafitte, O.**
Nurmuhammad, A., M. Muhammad and **M. Mori**, Sinc–Galerkin method based on the DE transformation for the boundary value problem of fourth-order ODE

Odibat, Z., see **Momani, S.**
Ogasawara, H., see **Yabe, H.**
Ogita, T., see **Oishi, S.**
Oharu, S., see **Arima, T.**
Oharu, S., see **Ida, A.**
Oharu, S., see **Kato, N.**
Oharu, Y., see **Ida, A.**
Oharu, Y., see **Ida, A.**
Ohe, T., see **Yamatani, K.**
Ohkura, H., see **Ohmiya, M.**
Ohmiya, M., H. Ohkura, D. Okaue, D. Saitoh and **T. Shiba**, Benjamin–Feir type instability of Sine–Gordon equation and spectrum of Lamé equation
Ohnaka, K., see **Yamatani, K.**
Oishi, S., K. Tanabe, T. Ogita and **S.M. Rump**, Convergence of Rump's method for inverting arbitrarily ill-conditioned matrices
Okaue, D., see **Ohmiya, M.**
Okrański, W., see **Małolepszy, T.**
Opic, B., see **Gurka, P.**
Ordóñez, C., see **Taboada, J.**
O'Regan, D., B. Yan and **R.P. Agarwal**, Solutions in weighted spaces of singular boundary value problems on the half-line
O'Riordan, E. and **G.I. Shishkin**, A technique to prove parameter-uniform convergence for a singularly perturbed convection–diffusion equation
Ortiz, R.D., see **Marín, A.M.**
Osada, N., A one parameter family of locally quartically convergent zero-finding methods

Pagnini, G., see **Mainardi, F.**
Pandey, R.K. and **A.K. Singh**, On the convergence of finite difference methods for weakly regular singular boundary value problems
Pant, R.P., see **Mishra, S.K.**
Paolone, A., see **Lacarbonara, W.**
Papi, S., see **Bacchelli, S.**
Pardo, J.A., see **Menéndez, M.L.**
Pardo, L., see **Menéndez, M.L.**
Parida, P.K. and **D.K. Gupta**, Recurrence relations for a Newton-like method in Banach spaces

- Paris, R.B.**, On the use of Hadamard expansions in hyperasymptotic evaluation of Laplace-type integrals—III: Clusters of saddle points 207 (2007) 273–290
- Paris, R.B.**, On the use of Hadamard expansions in hyperasymptotic evaluation of Laplace-type integrals—IV: Poles 206 (2007) 454–472
- Pasadas, M.**, see **Kouibia, A.** 208 (2007) 373–379
- Pasquini, L.**, see **Noschese, S.** 206 (2007) 615–624
- Pelayo, F.L.**, **M.L. Pelayo** and **J.L.G. Guirao**, Generating the syntactic and semantics graphs for a Markovian process algebra 204 (2007) 38–47
- Pelayo, M.L.**, see **Pelayo, F.L.** 204 (2007) 38–47
- Pello, J.**, see **Criado, R.** 204 (2007) 10–17
- Peña, J.M.**, see **Cortés, V.** 202 (2007) 292–303
- Pennanen, A.**, see **Heikkola, E.** 204 (2007) 344–355
- Pérez, T.E.**, see **Álvarez de Morales, M.** 207 (2007) 323–330
- Pérez-Rodríguez, S.**, see **González-Pinto, S.** 205 (2007) 583–583
- Perugia, I.**, see **Buffa, A.** 204 (2007) 317–333
- Petković, I.**, see **Petković, M.S.** 208 (2007) 316–330
- Petković, L.D.**, see **Petković, M.S.** 205 (2007) 32–52
- Petković, M.S.**, **L.D. Petković** and **L.Z. Rančić**, Point estimation of simultaneous methods for solving polynomial equations: A survey (II) 205 (2007) 32–52
- Petković, M.S.**, **S. Ilić** and **I. Petković**, A posteriori error bound methods for the inclusion of polynomial zeros 208 (2007) 316–330
- Petronilho, J.**, Generic formulas for the values at the singular points of some special monic classical $H_{q,\omega}$ -orthogonal polynomials 205 (2007) 314–324
- Phillips, T.N.**, see **van Os, R.G.M.** 201 (2007) 217–229
- Piana, M.**, see **Brignone, M.** 203 (2007) 145–158
- Piccoli, B.**, see **Bretti, G.** 210 (2007) 71–77
- Pick, L.**, see **Gogatishvili, A.** 208 (2007) 270–279
- Pillichshammer, F.**, see **Larcher, G.** 206 (2007) 977–985
- Piñar, M.A.**, see **Álvarez de Morales, M.** 207 (2007) 323–330
- Pini, G.**, see **Bergamaschi, L.** 210 (2007) 64–70
- Piroux, J.**, see **Lombard, B.** 204 (2007) 292–305
- Platen, E.**, see **Bruti-Liberati, N.** 205 (2007) 982–1001
- Platte, F.**, see **Kashid, M.N.** 203 (2007) 487–497
- Plaza, S.**, see **Amat, S.** 206 (2007) 599–602
- Plum, M.**, see **Everitt, W.N.** 208 (2007) 164–175
- Portero, L.**, see **Hundsdoerfer, W.** 201 (2007) 146–152
- Potthast, R.** and **J. Schulz**, A multiwave range test for obstacle reconstructions with unknown physical properties 205 (2007) 53–71
- Prestipino, D.**, see **Agreste, S.** 210 (2007) 13–21
- Puccio, L.**, see **Agreste, S.** 210 (2007) 13–21
- Qi, F.**, A class of logarithmically completely monotonic functions and the best bounds in the first Kershaw's double inequality 206 (2007) 1007–1014
- Quan, R.**, see **Jian, J.-b.** 205 (2007) 406–429
- Ramanujam, N.**, see **Tamilselvan, A.** 202 (2007) 203–216
- Ramos, H.** and **J. Vigo-Aguiar**, A fourth-order Runge–Kutta method based on BDF-type Chebyshev approximations 204 (2007) 124–136
- Ramos, H.** and **J. Vigo-Aguiar**, Variable-stepsize Chebyshev-type methods for the integration of second-order I.V.P.'s 204 (2007) 102–113
- Rančić, L.Z.**, see **Petković, M.S.** 205 (2007) 32–52
- Rashidinia, J.** and **M. Zarebnia**, Solution of a Volterra integral equation by the Sinc-collocation method 206 (2007) 801–813
- Rautela, J.S.**, see **Mishra, S.K.** 206 (2007) 122–135
- Read, W.W.**, An analytic series method for Laplacian problems with mixed boundary conditions 209 (2007) 22–32
- Rebollo-Neira, L.**, see **Andrieu, M.** 205 (2007) 545–551
- Reiß, M.**, see **Fischer, M.** 205 (2007) 969–981
- Reiner Jr., R.C.**, **R. Djellouli** and **I. Harari**, Analytical and numerical investigation of the performance of the BGT2 condition for low-frequency acoustic scattering problems 204 (2007) 526–536
- Ren, Y.-e.**, see **Wu, X.** 205 (2007) 239–250
- Ribalta, A.**, see **Backofen, R.** 203 (2007) 362–375
- Richard, J.-P.**, see **Baguelin, M.** 205 (2007) 687–695
- Rieutord, M.**, see **Valdettaro, L.** 205 (2007) 382–393
- Rivière, B.**, see **Epshteyn, Y.** 206 (2007) 843–872
- Roan, S.-s.**, Structure of certain Chebyshev-type polynomials in Onsager's algebra representation 202 (2007) 88–104
- Roberts, C.A.**, Recent results on blow-up and quenching for nonlinear Volterra equations 205 (2007) 736–743
- Robinson, I.**, see **Li, T.** 205 (2007) 394–405
- Rößler, A.**, see **Kloeden, P.E.** 205 (2007) 957–968
- Rodríguez, R.**, see **Araya, R.** 206 (2007) 440–453
- Roig, B.**, One-step Taylor–Galerkin methods for convection–diffusion problems 204 (2007) 95–101
- Rojas Bello, R.**, see **González-Pinto, S.** 205 (2007) 583–583
- Romance, M.**, see **Criado, R.** 204 (2007) 166–171
- Romani, F.**, see **Del Corso, G.M.** 210 (2007) 159–166
- Romani, F.**, see **Favati, P.** 210 (2007) 191–199
- Roos, H.-G.**, see **Teofanov, Lj.** 206 (2007) 1082–1097
- Rossi, T.**, see **Heikkola, E.** 204 (2007) 344–355
- Roy, A.R.** and **P.K. Maji**, A fuzzy soft set theoretic approach to decision making problems 203 (2007) 412–418
- Rozenblum, G.** and **M. Solomyak**, On a family of differential operators with the coupling parameter in the boundary condition 208 (2007) 57–71
- Rui, H.**, **S. Kim** and **S.D. Kim**, A remark on least-squares mixed element methods for reaction–diffusion problems 202 (2007) 230–236
- Rump, S.M.**, see **Oishi, S.** 205 (2007) 533–544
- Sabo, K.**, see **Jukić, D.** 201 (2007) 230–246
- Sadighi, A.**, see **Ganji, D.D.** 207 (2007) 24–34
- Saito, Y.**, see **Takeuchi, Y.** 201 (2007) 315–316

- Saitoh, D., see Ohmiya, M. 207 (2007) 345–351
- Salimath, C.S., see Bujurke, N.M. 203 (2007) 237–248
- Sandström, S.-E. and C. Ackrén, Note on the complex zeros of $H'_\nu(x) + i\zeta H_\nu(x) = 0$ 201 (2007) 3–7
- Sankey, O., see Ida, A. 204 (2007) 159–165
- Santos-León, J.C., see Njåstad, O. 202 (2007) 440–449
- Santoso, L., see Hegland, M. 205 (2007) 708–724
- Sastre, M.A., see Escribano, C. 207 (2007) 352–359
- Savenkova, A., see Karp, D. 207 (2007) 331–337
- Sawyer, W.B. and A.A. Mirin, The implementation of the finite-volume dynamical core in the community atmosphere model 203 (2007) 387–396
- Schenker, J., see Figotin, A. 204 (2007) 199–208
- Schmidt, K.M., see Monaque, S.J. 208 (2007) 82–101
- Schneebeli, A., see Grote, M.J. 204 (2007) 375–386
- Schötzau, D., see Grote, M.J. 204 (2007) 375–386
- Schulz, J., see Potthast, R. 205 (2007) 53–71
- Schulz, V., see Adimurthi, A. 203 (2007) 309–309
- Schulz, V., see Kroll, N. 203 (2007) 397–411
- Schurz, H., see Bessaih, H. 208 (2007) 354–361
- Scitovski, R., see Jukić, D. 201 (2007) 230–246
- Seaïd, M., Multigrid Newton–Krylov method for radiation in diffusive semi-transparent media 203 (2007) 498–515
- Seaïd, M., see Manouzi, H. 203 (2007) 516–532
- Segura, J., see Gil, A. 207 (2007) 165
- Semiao, V., see Basto, M. 205 (2007) 296–304
- Semiao, V., see Basto, M. 206 (2007) 927–949
- Şenoğlu, B., Estimating parameters in one-way analysis of covariance model with short-tailed symmetric error distributions 201 (2007) 275–283
- Serranho, P., see Kress, R. 204 (2007) 418–427
- Sesma, J., see Gómez, F.J. 207 (2007) 291–300
- Shampine, L.F., Design of software for ODEs 205 (2007) 901–911
- Shanthi, V., see Tamilselvan, A. 202 (2007) 203–216
- Shardlow, T., see Gilsing, H. 205 (2007) 1002–1018
- Shen, J., see Li, J. 206 (2007) 699–712
- Shen, J., see Liang, R. 202 (2007) 498–510
- Shen, J., see Yang, X. 209 (2007) 176–186
- Shen, W., see Ye, X. 203 (2007) 279–288
- Shi, P., see Gao, H. 206 (2007) 366–373
- Shiba, T., see Ohmiya, M. 207 (2007) 345–351
- Shinohara, Y., H. Fujimori, T. Suzuki and M. Kurihara, On a boundary value problem for delay differential equations of population dynamics and Chebyshev approximation 201 (2007) 348–355
- Shiralashetti, S.C., see Bujurke, N.M. 203 (2007) 237–248
- Shishkin, G.I., see Ansari, A.R. 205 (2007) 552–566
- Shishkin, G.I., see O’Riordan, E. 206 (2007) 136–145
- Shitaoka, K., see Kato, N. 204 (2007) 114–123
- Siedentop, H., The spectrum of relativistic atoms according to Bethe and Salpeter and beyond 208 (2007) 155–163
- Siewer, R., A constructive approach to nodal splines 203 (2007) 289–308
- Siklosi, M., B. Batzorig and G. Kreiss, An investigation of the internal structure of shock profiles for shock capturing schemes 201 (2007) 8–29
- Sima, D.M. and S. Van Huffel, Separable nonlinear least squares fitting with linear bound constraints and its application in magnetic resonance spectroscopy data quantification 203 (2007) 264–278
- Simon, B., CMV matrices: Five years after 208 (2007) 120–154
- Sims, R., Reflectionless Sturm–Liouville equations 208 (2007) 207–225
- Singh, A.K., see Herty, M. 203 (2007) 419–436
- Singh, A.K., see Pandey, R.K. 205 (2007) 469–478
- Singh, S., see Mohanty, R.K. 208 (2007) 391–403
- Sitnik, S.M., see Karp, D. 205 (2007) 186–206
- Sitnik, S.M., see Karp, D. 207 (2007) 331–337
- Sloan, I.H., see Ganesh, M. 204 (2007) 363–374
- Śmietański, M.J., A generalized Jacobian based Newton method for semi-smooth block-triangular system of equations 205 (2007) 305–313
- Smyrlis, Y.-S., see Karageorghis, A. 206 (2007) 774–795
- Söderlind, G., see Arévalo, C. 205 (2007) 891–900
- Soliman, A.A. and M.A. Abdou, Numerical solutions of nonlinear evolution equations using variational iteration method 207 (2007) 111–120
- Šolín, P. and T. Vejchodský, A weak discrete maximum principle for hp -FEM 209 (2007) 54–65
- Solomyak, M., see Rozenblum, G. 208 (2007) 57–71
- Song, M., W. Ma and Y. Takeuchi, Permanence of a delayed *SIR* epidemic model with density dependent birth rate 201 (2007) 389–394
- Song, Q. and J. Cao, Global exponential stability of bidirectional associative memory neural networks with distributed delays 202 (2007) 266–279
- Song, X., see Cai, L. 201 (2007) 356–366
- Song, Y. and H. Tian, Periodic and almost periodic solutions of nonlinear discrete Volterra equations with unbounded delay 205 (2007) 859–870
- Soto, J., M.I. Vigo Aguiar and A. Flores-Sintas, A fuzzy clustering application to precise orbit determination 204 (2007) 137–143
- Speleers, H., P. Dierckx and S. Vande-walle, Powell–Sabin splines with boundary conditions for polygonal and non-polygonal domains 206 (2007) 55–72
- Spokoyny, V., see Chen, Y. 205 (2007) 594–607
- Stadler, G., Path-following and augmented Lagrangian methods for contact problems in linear elasticity 203 (2007) 533–547
- Stahl, H., see Driver, K. 207 (2007) 180–185
- Stahl, H., see Kuijlaars, A.B.J. 207 (2007) 227–244
- Steinbach, M.C., On PDE solution in transient optimization of gas networks 203 (2007) 345–361
- Steiner, K., see Hazra, S.B. 203 (2007) 444–460

- Sugihara, K., see Nishida, T. 202 (2007) 377–391
 Sugiura, H., see Hasegawa, T. 205 (2007) 487–496
 Sun, J., see Chen, L. 202 (2007) 392–401
 Suri, M., see Chaillou, A. 205 (2007) 72–87
 Sutmman, G., Compact finite difference schemes of sixth order for the Helmholtz equation 203 (2007) 15–31
 Suzuki, T., see Kubo, A. 204 (2007) 48–55
 Suzuki, T., see Shinohara, Y. 201 (2007) 348–355
 Sweilam, N.H., Harmonic wave generation in non linear thermoelasticity by variational iteration method and Adomian's method 207 (2007) 64–72
 Sweilam, N.H., Variational iteration method for solving cubic nonlinear Schrödinger equation 207 (2007) 155–163
 Taboada, J., J.M. Matías, C. Ordóñez and P.J. García, Creating a quality map of a slate deposit using support vector machines 204 (2007) 84–94
 Tachikawa, M., Specific locking in populations dynamics: Symmetry analysis for coupled heteroclinic cycles 201 (2007) 374–380
 Takeuchi, Y., R. Miyazaki, S. Morita and Y. Saito, Preface 201 (2007) 315–316
 Takeuchi, Y., see Song, M. 201 (2007) 389–394
 Takeuchi, Y., see Yamaguchi, M. 201 (2007) 327–338
 Tamilselvan, A., N. Ramanujam and V. Shanthi, A numerical method for singularly perturbed weakly coupled system of two second order ordinary differential equations with discontinuous source term 202 (2007) 203–216
 Tanabe, K., see Oishi, S. 205 (2007) 533–544
 Tanaka, T., see Zeng, L.-C. 206 (2007) 814–825
 Tang, C., see Li, G. 202 (2007) 523–539
 Tang, J.M. and C. Vuik, On deflation and singular symmetric positive semi-definite matrices 206 (2007) 603–614
 Tang, M.-L., see Liu, X.-G. 202 (2007) 478–497
 Tang, X., see Zhou, Y. 203 (2007) 1–5
 Tang, Y.-F., see Feng, Q.-D. 203 (2007) 6–14
 Tanner, R.I., see Mai-Duy, N. 201 (2007) 30–47
 Tao, L., see Liu, Y.-p. 201 (2007) 300–313
 Tasci, D., see Kilic, E. 201 (2007) 182–197
 Tatari, M. and M. Dehghan, On the convergence of He's variational iteration method 207 (2007) 121–128
 Tavazoei, M.S. and M. Haeri, An optimization algorithm based on chaotic behavior and fractal nature 206 (2007) 1070–1081
 Temme, N.M., Analytical methods for an elliptic singular perturbation problem in a circle 207 (2007) 301–322
 Teofanov, Lj. and H.-G. Roos, An elliptic singularly perturbed problem with two parameters I: Solution decomposition 206 (2007) 1082–1097
 Tezer-Sezgin, M., see Bozkaya, C. 203 (2007) 125–144
 Thomas, M., see Chandler-Wilde, S.N. 204 (2007) 549–559
 Thompson, M., see Carvalho, J.C. 206 (2007) 534–548
 Tian, H., see Song, Y. 205 (2007) 859–870
 Tian, J.P. and Z. Liu, Coalescent random walks on graphs 202 (2007) 144–154
 Tian, L. and J. Yin, Shock-peakon and shock-compacton solutions for $K(p, q)$ equation by variational iteration method 207 (2007) 46–52
 Tian, T., K. Burrage, P.M. Burrage and M. Carletti, Stochastic delay differential equations for genetic regulatory networks 205 (2007) 696–707
 Tiwari, S. and J. Kuhnert, Modeling of two-phase flows with surface tension by finite pointset method (FPM) 203 (2007) 376–386
 Toksari, M.D., A heuristic approach to find the global optimum of function 209 (2007) 160–166
 Torrano, E., see Escribano, C. 207 (2007) 352–359
 Tortorici, A., see Ala, G. 210 (2007) 34–46
 Toscano, E., see Ala, G. 210 (2007) 34–46
 Toutounian, F., see Koulaei, M.H. 202 (2007) 248–257
 Trigiante, D., see Aceto, L. 210 (2007) 2–12
 Trigiante, D., see Iavernaro, F. 205 (2007) 814–825
 Tsai, C.C., see Lo, D.C. 203 (2007) 219–236
 Tseng, J.-M., see Lai, M.-C. 201 (2007) 175–181
 Tsynkov, S., see Baruch, G. 204 (2007) 477–492
 Tupper, P.F., Computing statistics for Hamiltonian systems: A case study 205 (2007) 826–834
 Turek, S., see Kashid, M.N. 203 (2007) 487–497
 Turek, S., see Wan, D. 203 (2007) 561–580
 Ujević, N., An iterative method for solving nonlinear equations 201 (2007) 208–216
 Ureña, F., see Benito, J.J. 209 (2007) 208–233
 Valdetaro, L., M. Rieutord, T. Braconnier and V. Frayssé, Convergence and round-off errors in a two-dimensional eigenvalue problem using spectral methods and Arnoldi–Chebyshev algorithm 205 (2007) 382–393
 Van Assche, W., see Kuijlaars, A.B.J. 207 (2007) 227–244
 Van de Vyver, H., Phase-fitted and amplification-fitted two-step hybrid methods for $y'' = f(x, y)$ 209 (2007) 33–53
 Van der Jeugt, J., see Lievens, S. 206 (2007) 498–519
 Van Huffel, S., see Sima, D.M. 203 (2007) 264–278
 van Os, R.G.M. and T.N. Phillips, The choice of spectral element basis functions in domains with an axis of symmetry 201 (2007) 217–229
 Vandewalle, S., see Speleers, H. 206 (2007) 55–72
 Varlamov, V., Special functions arising in the study of semi-linear equations in circular domains 202 (2007) 105–121
 Vecchio, A., see Izzo, G. 210 (2007) 210–221
 Veerappa Gowda, G.D., see Adimurthi, A. 203 (2007) 310–344
 Vejchodský, T., see Šolín, P. 209 (2007) 54–65
 Vianello, M., see Caliarì, M. 210 (2007) 56–63
 Vianello, M., see Caliarì, M. 210 (2007) 78–83
 Vigo Aguiar, M.I., see Soto, J. 204 (2007) 137–143

- Vigo-Aguiar, J.** and **B.A. Wade**, Special issue dedicated to Professor Shinno-suke Oharu on the occasion of his 65th birthday 204 (2007) 1–2
- Vigo-Aguiar, J.**, see **Ramos, H.** 204 (2007) 102–113
- Vigo-Aguiar, J.**, see **Ramos, H.** 204 (2007) 124–136
- Vigo-Aguiar, J.**, see **Wade, B.A.** 204 (2007) 144–158
- Viola, F.**, see **Ala, G.** 210 (2007) 34–46
- Vivoli, A.**, see **Mainardi, F.** 205 (2007) 725–735
- Voigt, A.**, see **Backofen, R.** 203 (2007) 362–375
- Vollmer, D.**, see **Kroll, N.** 203 (2007) 397–411
- Vuik, C.**, see **Tang, J.M.** 206 (2007) 603–614
- Vulanović, R.**, The layer-resolving transformation and mesh generation for quasilinear singular perturbation problems 203 (2007) 177–189
- Vulkov, L.**, see **Koleva, M.** 202 (2007) 414–434
- Wade, B.A.**, **A.Q.M. Khaliq, M. Yousuf, J. Vigo-Aguiar** and **R. Deininger**, On smoothing of the Crank–Nicolson scheme and higher order schemes for pricing barrier options 204 (2007) 144–158
- Wade, B.A.**, see **Vigo-Aguiar, J.** 204 (2007) 1–2
- Wan, D.** and **S. Turek**, An efficient multigrid-FEM method for the simulation of solid–liquid two phase flows 203 (2007) 561–580
- Wang, C.-L.**, see **Wen, R.-P.** 202 (2007) 540–547
- Wang, G.-J.**, see **Hu, Q.-Q.** 203 (2007) 190–208
- Wang, H.**, A time-splitting spectral method for coupled Gross–Pitaevskii equations with applications to rotating Bose–Einstein condensates 205 (2007) 88–104
- Wang, H.-Y.**, **X.-B. Hu** and **Gegenhasi** 2D Toda lattice equation with self-consistent sources: Casoratian type solutions, bilinear Bäcklund transformation and Lax pair 202 (2007) 133–143
- Wang, J.**, see **Gao, H.** 206 (2007) 366–373
- Wang, K.**, see **Wei, F.** 208 (2007) 362–372
- Wang, L.**, see **Benchama, N.** 209 (2007) 1–21
- Wang, P.**, **Y. Wu** and **L. Caccetta**, Oscillation criteria for boundary value problems of high-order partial functional differential equations 206 (2007) 567–577
- Wang, Q.-R.**, Interval criteria for oscillation of second-order nonlinear differential equations 205 (2007) 231–238
- Wang, T.**, **J. Chen** and **L. Zhang**, Conservative difference methods for the Klein–Gordon–Zakharov equations 205 (2007) 430–452
- Wang, W.**, see **Li, L.** 206 (2007) 341–357
- Wang, X.**, see **Kou, J.** 209 (2007) 146–152
- Wang, X.**, see **Kou, J.** 209 (2007) 153–159
- Wang, X.-Z.**, **T.-Z. Huang** and **Y.-D. Fu**, Comparison results on preconditioned SOR-type iterative method for Z -matrices linear systems 206 (2007) 726–732
- Wang, Y.**, **S.-C. Fang** and **J.E. Lavery**, A compressed primal–dual method for generating bivariate cubic L_1 splines 201 (2007) 69–87
- Wang, Y.-J.** and **J.-S. Zhang**, An efficient algorithm for large scale global optimization of continuous functions 206 (2007) 1015–1026
- Wang, Y.-M.** and **K.-S. Chin**, Discriminating DEA efficient candidates by considering their least relative total scores 206 (2007) 209–215
- Wang, Z.**, **J. Lam** and **X. Liu**, Filtering for a class of nonlinear discrete-time stochastic systems with state delays 201 (2007) 153–163
- Wanner, T.**, see **Korostyshevskiy, V.R.** 206 (2007) 986–1006
- Watson, G.A.**, A Levenberg–Marquardt method for estimating polygonal regions 208 (2007) 331–340
- Wazwaz, A.-M.**, A comparison between the variational iteration method and Adomian decomposition method 207 (2007) 129–136
- Wazwaz, A.-M.**, The variational iteration method for rational solutions for KdV, $K(2,2)$, Burgers, and cubic Boussinesq equations 207 (2007) 18–23
- Wazwaz, A.-M.**, see **Xu, L.** 207 (2007) 1–2
- Wei, F.** and **K. Wang**, Positive periodic solutions of an n -species ecological system with infinite delay 208 (2007) 362–372
- Wei, Y.**, see **Xiang, H.** 202 (2007) 217–229
- Wei, Z.**, see **Li, G.** 202 (2007) 523–539
- Welk, M.**, see **Breuß, M.** 206 (2007) 520–533
- Wellman, R.**, see **Everitt, W.N.** 208 (2007) 29–56
- Wen, G.**, see **Ma, Z.** 209 (2007) 167–175
- Wen, R.-P.**, **C.-L. Wang** and **G.-Y. Meng**, Convergence theorems for block splitting iterative methods for linear systems 202 (2007) 540–547
- Weng, P.**, see **Xu, Z.** 202 (2007) 460–477
- Wielonsky, F.**, see **Kuijlaars, A.B.J.** 207 (2007) 227–244
- Willms, A.R.**, Parameter range reduction for ODE models using cumulative backward differentiation formulas 203 (2007) 87–102
- Winkler, R.**, see **Buckwar, E.** 205 (2007) 912–922
- Wu, C.**, **J. Deng** and **F. Chen**, Fast data extrapolating 206 (2007) 146–157
- Wu, G.**, A modified harmonic block Arnoldi algorithm with adaptive shifts for large interior eigenproblems 205 (2007) 343–363
- Wu, H.**, see **Cao, X.** 208 (2007) 176–193
- Wu, J.** and **Y. Liu**, Two periodic solutions of neutral difference systems depending on two parameters 206 (2007) 713–725
- Wu, M.**, see **Liu, X.-G.** 202 (2007) 478–497
- Wu, S.-I.**, see **Li, Y.-t.** 206 (2007) 656–665
- Wu, X.** and **Y.-e. Ren**, Differential quadrature method based on the highest derivative and its applications 205 (2007) 239–250
- Wu, Y.**, see **Wang, P.** 206 (2007) 567–577
- Wulff-Molder, D.**, see **Backofen, R.** 203 (2007) 362–375

- Xiang, H.** and **Y. Wei**, Structured mixed and componentwise condition numbers of some structured matrices 202 (2007) 217–229
- Xiang, S.**, Efficient quadrature for highly oscillatory integrals involving critical points 206 (2007) 688–698
- Xiang, S.**, On the Filon and Levin methods for highly oscillatory integral $\int_a^b f(x)e^{i\phi(x)} dx$ 208 (2007) 434–439
- Xie, Y.**, see **Chen, B.** 203 (2007) 249–263
- Xiong, X.-T.** and **C.-L. Fu**, Determining surface temperature and heat flux by a wavelet dual least squares method 201 (2007) 198–207
- Xiuhua, W.**, see **Jisheng, K.** 205 (2007) 1–5
- Xu, L.**, He's parameter-expanding methods for strongly nonlinear oscillators 207 (2007) 148–154
- Xu, L., J.-H. He** and **A.-M. Wazwaz**, Preface: Variational iteration method—Reality, potential, and challenges 207 (2007) 1–2
- Xu, X.**, Nonlinear trigonometric approximation and the Dirac delta function 209 (2007) 234–245
- Xu, Z.** and **P. Weng**, Oscillation of second order neutral equations with distributed deviating argument 202 (2007) 460–477
- Xu, Z.** and **X. Liu**, Philos-type oscillation criteria for Emden–Fowler neutral delay differential equations 206 (2007) 1116–1126
- Yabe, H., H. Ogasawara** and **M. Yoshino**, Local and superlinear convergence of quasi-Newton methods based on modified secant conditions 205 (2007) 617–632
- Yakhno, V.G.** and **H.K. Akmaz**, Anisotropic elastodynamics in a half space: An analytic method for polynomial data 204 (2007) 268–281
- Yamaguchi, M., Y. Takeuchi** and **W. Ma**, Dynamical properties of a stage structured three-species model with intra-guild predation 201 (2007) 327–338
- Yamatani, K., T. Ohe** and **K. Ohnaka**, A direct identification method for current dipoles from electromagnetic fields 201 (2007) 164–174
- Yan, A.**, see **Knowles, I.** 208 (2007) 72–81
- Yan, B.**, see **O'Regan, D.** 205 (2007) 751–763
- Yan, N.**, see **Liu, H.** 209 (2007) 187–207
- Yan, S.**, see **Mo, J.** 209 (2007) 97–108
- Yáñez, R.J.**, see **Zarzo, A.** 207 (2007) 166–179
- Yang, L., X. Ji, Z. Gao** and **K. Li**, Logistics distribution centers location problem and algorithm under fuzzy environment 208 (2007) 303–315
- Yang, X.** and **J. Shen**, Periodic boundary value problems for second-order impulsive integro-differential equations 209 (2007) 176–186
- Yao, J.** and **F. Meng**, Asymptotic behavior of solutions of certain higher order nonlinear difference equation 205 (2007) 640–650
- Yao, J.-C.**, see **Zeng, L.-C.** 206 (2007) 814–825
- Yao, L.**, see **Yu, W.** 206 (2007) 679–687
- Yaslan, I.**, Existence of positive solutions for nonlinear three-point problems on time scales 206 (2007) 888–897
- Yaslan Karaca, I.**, Discrete third-order three-point boundary value problem 205 (2007) 458–468
- Ye, X., C. Li** and **W. Shen**, Convergence of the variants of the Chebyshev–Halley iteration family under the Hölder condition of the first derivative 203 (2007) 279–288
- Yin, G.**, see **Mao, X.** 205 (2007) 936–948
- Yin, J.**, see **Tian, L.** 207 (2007) 46–52
- Yitian, L.**, see **Jisheng, K.** 205 (2007) 1–5
- Yongjian, Y.** and **L. Yumei**, A new discrete filled function algorithm for discrete global optimization 202 (2007) 280–291
- Yoon, G.J.**, see **Everitt, W.N.** 208 (2007) 29–56
- Yoshida, N.** and **T. Hara**, Global stability of a delayed *SIR* epidemic model with density dependent birth and death rates 201 (2007) 339–347
- Yoshino, M.**, see **Yabe, H.** 205 (2007) 617–632
- Young, D.L.**, see **Lo, D.C.** 203 (2007) 219–236
- Yousuf, M.**, see **Wade, B.A.** 204 (2007) 144–158
- Yu, W.** and **L. Yao**, Global robust stability of neural networks with time varying delays 206 (2007) 679–687
- Yuan, C.**, see **Mao, X.** 205 (2007) 936–948
- Yumei, L.**, see **Yongjian, Y.** 202 (2007) 280–291
- Zahri, M.**, see **Manouzi, H.** 203 (2007) 516–532
- Zarebnia, M.**, see **Rashidinia, J.** 206 (2007) 801–813
- Zarzo, A., R.J. Yáñez** and **J.S. Dehesa**, General recurrence and ladder relations of hypergeometric-type functions 207 (2007) 166–179
- Zellini, P.**, see **Di Fiore, C.** 210 (2007) 167–174
- Zeng, L.-C., T. Tanaka** and **J.-C. Yao**, Iterative construction of fixed points of nonself-mappings in Banach spaces 206 (2007) 814–825
- Zettl, A.**, see **Cao, X.** 208 (2007) 176–193
- Zhang, B.**, see **Gao, L.** 205 (2007) 207–230
- Zhang, H., F. Liu** and **V. Anh**, Numerical approximation of Lévy–Feller diffusion equation and its probability interpretation 206 (2007) 1098–1115
- Zhang, J.-S.**, see **Wang, Y.-J.** 206 (2007) 1015–1026
- Zhang, L., L.-Q. Chen** and **X. Huo**, Bifurcations of smooth and nonsmooth traveling wave solutions in a generalized degasperis–procesi equation 205 (2007) 174–185
- Zhang, L.**, see **Huang, X.** 206 (2007) 645–655
- Zhang, L.**, see **Wang, T.** 205 (2007) 430–452
- Zhang, L.S.**, see **Liang, Y.M.** 205 (2007) 16–31
- Zhang, S.**, Numerical integration with Taylor truncations for the quadrilateral and hexahedral finite elements 205 (2007) 325–342
- Zhang, W.** and **W. Zhang**, Computing iterative roots of polygonal functions 205 (2007) 497–508
- Zhang, W.**, see **Zhang, W.** 205 (2007) 497–508

- Zhang, X.-l.**, see **Jian, J.-b.** 205 (2007) 406–429
- Zhao, J., M. Davison and R.M. Corless**, Compact finite difference method for American option pricing 206 (2007) 306–321
- Zhevandrov, P.**, see **Marín, A.M.** 204 (2007) 356–362
- Zhou, Q. and F. Long**, Existence and uniqueness of periodic solutions for a kind of Liénard equation with two deviating arguments 206 (2007) 1127–1136
- Zhou, X.**, see **Deift, P.** 202 (2007) 26–47
- Zhou, Y. and X. Tang**, On existence of periodic solutions of Rayleigh equation of retarded type 203 (2007) 1–5
- Zhour, Z.A.A.A.**, see **Kılıçman, A.** 206 (2007) 1051–1069
- Zhuang, Y.**, An alternating explicit–implicit domain decomposition method for the parallel solution of parabolic equations 206 (2007) 549–566
- Zudilin, W.**, Approximations to π , $\ln 2$ and $\ln 3$ 202 (2007) 450–459
- Zwölf, C.M.**, see **Bonnet-Ben Dhia, A.S.** 204 (2007) 408–417